

TABLE 6

CARGO VAN, COMPACT, 4 X 2

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

Item # 30				
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
BODY/CHASSIS		GRAND CARAVAN	FREESTAR	VENTURE
MFG. MODEL CODE		RSKL13	A54	1UM16
PAYLOAD min. kg. (lbs.)	544 (1200)	1700	1,800	1200
GROSS VEHICLE WEIGHT RATING				
min./max. kg (lbs.)	2404 (5300) / 2667 (5880)	5700	5,880	5375
WHEEL BASE min. cm.(in.)	302 (119) / 307 (121)	119.3	120.7	120
BODY SIZE, OVERALL LENGTH				
min./max. cm.(in.)	508 (200)	200.5	200.9	200.9
ENGINE MINIMUMS				
ENGINE TYPE (Cylinder/Liter)	6/3.3	6/3.3	6/3.9	6/3.4
HORSEPOWER (min)	180	180	193	185
TORQUE (ft.-lb.)	210	210	243	210
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed	4 Speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	Front	front	front	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.66	3.56	3.29
ELECTRICAL				
ALTERNATOR min. (Amps)	105	140	145	105
BATTERY min. (CCA)	500	500	750	500
FUEL				
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	26	25
EXTERIOR				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
DOORS AND WINDOWS				
WINDOWS, ALL SIDES	Req	comply	comply	comply
KEYED DOOR LOCKS		left and right	left only	left only
WINDOWS	In rear liftgate	comply	comply	comply
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	Lift type	lift gate	liftgate	Liftgate
SIDE DOOR TYPE	Sliding	comply	comply	comply
FLOOR				
FLOOR COVERING	Vinyl	comply	comply	comply
INTERIOR				
AIR CONDITIONING	Req	comply	comply	comply
RADIO	AM/FM w/Clock	AM/FM cassette w/Clock	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	cloth	Cloth
SEATS				
SEATING CAPACITY min.	2	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket	Bucket
SAFETY				
POWER ANTILOCK BRAKES,				
FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM,				
DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM,				
DRIVER & FRONT PASSENGER	Req	comply	comply	comply

TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 2

Item # 30				
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER	FORD	GM
SUSPENSION		GRAND CARAVAN	FREESTAR	VENTURE
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	16	16	15
TIRES	P215/R/AS	P215/R/AS	P235/R/AS	P215/R/AS
WARRANTY				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	COMPLY	COMPLY	comply


TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 2

Item # 30 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER GRAND CARAVAN	FORD FREESTAR	GM VENTURE
ENGINES				
E2	UPGRADED 5/6 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Available 6/4.2,201,265	N/A
ENGINE OPTIONS				
EH	ENGINE BLOCK HEATER	Available	Available	Available
DRIVE AXLE				
ATC	AUTOMATIC TRACTION CONTROL	N/A	Available	Available
DOORS AND WINDOWS				
DTG	DARK TINTED GLASS	Std	Available	Std
OPW	FURNISH OEM OPAQUE GLASS AND/OR PANEL	Available	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Std	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Std
LIGHTS AND LIGHTING				
DRL	DAYTIME RUNNING LIGHTS	Available	N/A	Std
INTERIOR				
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	N/A	N/A
RADIO				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	N/A	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	N/A	Available	Available
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	N/A	N/A	Std
DELIVERY				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available





**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**






TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 2

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

Item # 30A		
GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		ASTRO VAN
MFG. MODEL CODE		CM11005
PAYLOAD min. kg. (lbs.)	726 (1600)	1600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2539 (5600)	5600
WHEEL BASE min. cm.(in.)	281 (111)	111.2
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189.8
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6/4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
KEYED DOOR LOCKS		left and right
WINDOWS	Rear door	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	dual cargo
SIDE DOOR TYPE	Sliding	comply
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Min.	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
INTERIOR		
AIR CONDITIONING	Req	comply
RADIO	AM/FM w/Clock	AM/FM stereo
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	cloth
SEATS		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 2

Item # 30A		
	GSA COMPONENTS	GSA. MIN. REQ.
SUSPENSION		ASTRO VAN
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply


TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 2

Item # 30A - OPTIONAL EQUIPMENT

		GM
ENGINE OPTIONS		ASTRO VAN
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DOORS AND WINDOWS		
DTG	DARK TINTED GLASS	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
INTERIOR		
AH	AUXILIARY REAR HEATER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available





**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**







TABLE 6 - CONTINUED

4X2 CARGO VAN, COMPACT, MIN 5,550 LBS GVWR, SHORT BODY/WB

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

Item # 30B		
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
BODY/CHASSIS		CARAVAN CARGO VAN
MFG. MODEL CODE		RSKL12
PAYLOAD min. kg. (lbs.)	771 (1700)	1700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2517 (5550)	5550
WHEEL BASE min. cm.(in.)	287 (113)	113.3
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6/3.3	6/3.3
HORSEPOWER (min)	180	180
TORQUE (ft.-lb.)	210	210
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Front	front
DIFFERENTIAL TYPE/RATIO	Fwd / Mfg. std.	fwd
ELECTRICAL		
ALTERNATOR min. (Amps)	140	140
BATTERY min. (CCA)	500	500
FUEL		
FUEL CAPACITY min. Liters (gals.)	76 (20)	20
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Req	comply
WINDOWS, ALL SIDES	Req	comply
KEYED DOOR LOCKS		left and right
WINDOWS	Rear door	comply (single)
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Liftgate	liftgate
SIDE DOOR TYPE	Sliding	comply
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Min.	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
INTERIOR		
AIR CONDITIONING	Req	comply
RADIO	AM/FM/CD w/Clock	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
SEATS		
SEATING CAPACITY min.	2	comply
FIRST ROW SEAT TYPE	2 - Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply

TABLE 6 - CONTINUED

4X2 CARGO VAN, COMPACT, MIN 5,550 LBS  
GVWR, SHORT BODY/WB

Item # 30B		
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
SAFETY		CARAVAN CARGO VAN
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	16	16
TIRES	P215/R/AS	P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply


TABLE 6 - CONTINUED

4X2 CARGO VAN, COMPACT, MIN 5,550 LBS GVWR, SHORT BODY/WB

Item # 30B - OPTIONAL EQUIPMENT

ENGINE OPTIONS		DAIMLERCHRYSLER CARAVAN CARGO VAN
EH	ENGINE BLOCK HEATER	Available
DOORS AND WINDOWS		
OPW	FURNISH OEM OPAQUE GLASS AND/OR PANEL	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
INTERIOR		
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRG	DEALER DELIVERY GUAM	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available





**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**





TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 4

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

Item # 35A		
GSA COMPONENTS	GSA. MIN. REQ.	GM
BODY/CHASSIS		ASTRO
MFG. MODEL CODE		CL11005
PAYLOAD min. kg. (lbs.)	753 (1660)	1660
GROSS VEHICLE WEIGHT RATING		
min./max. kg (lbs.)	2654 (5850) min	5850
WHEEL BASE min. cm.(in.)	280 (111) min	111.2
BODY SIZE, OVERALL LENGTH		
min./max. cm.(in.)	480 (189)	189.8
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	6/4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 speed	4 speed
DRIVE AXLE		
TOWING/MOUNTAIN RATIO	Min.	3.73
PRIMARY DRIVE AXLE	All wheel drive	awd
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
FUEL		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
DARK TINTED GLASS	Min.	comply
KEYED DOOR LOCKS		left and right
WINDOWS	In rear doors	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	Sliding	comply
LIGHTS AND LIGHTING		
DAYTIME RUNNING LIGHTS	Min.	comply
FLOOR		
FLOOR COVERING	Vinyl	comply
INTERIOR		
AIR CONDITIONING	Req	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	cloth
SEATS		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket
SAFETY		
POWER ANTILOCK BRAKES,		
FRONT AND REAR	Req	comply
RESTRAINT SYSTEM,		
DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM,		
DRIVER & FRONT PASSENGER	Req	comply

TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 4

Item # 35A		
GSA COMPONENTS	GSA. MIN. REQ.	GM
SUSPENSION		ASTRO
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	16	16
TIRES	P215/R/AS	P215/R/AS
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

TABLE 6 - CONTINUED

CARGO VAN, COMPACT, 4 X 4

Item # 35A - OPTIONAL EQUIPMENT

ENGINE OPTIONS		GM ASTRO
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
PAINT		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DOORS AND WINDOWS		
PWL	POWER WINDOWS & DOOR LOCKS	Available
INTERIOR		
AH	AUXILIARY REAR HEATER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available



**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



TABLE 7

CARGO VAN, FULL SIZE, 4 X 2

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

Item # 31			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
BODY/CHASSIS		ECONOLINE E150	G1300
MFG. MODEL CODE		E14	CG13405
PAYLOAD min. kg. (lbs.)	662 (1460)	2,205	1460
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	2766 (6100) / 3039 (6700)	6,700	6200
WHEEL BASE min. cm.(in.)	343 (135) / 350 (138)	138	135
BODY SIZE, OVERALL LENGTH			
min./max. cm.(in.)	536 (211) / 564 (222)	211.9	221.5
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6/4.3	8/4.6	6/4.3
HORSEPOWER (min)	200	225	200
TORQUE (ft.-lb.)	250	286	250
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS		left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
RADIO	AM/FM w/Clock	AM/FM stereo w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	cloth	Cloth
SEATS			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 31			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
TIRES AND WHEELS		ECONOLINE E150	G1300
WHEEL DIAMETER	15	15	16
TIRES	P235/R/AS	P235/R/AS	P235/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 31- OPTIONAL EQUIPMENT

ENGINES		FORD ECONOLINE E150	GM G1300
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.4,255,350	Available 8/5.3,285,325
ENGINE OPTIONS			
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWD	OEM ALL WHEEL DRIVE	N/A	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Available	Available
DRG	DELETE REAR WINDOW	Available	Available
LD	LEFT DOOR	N/A	Available
WD	SIDE CARGO DOOR WINDOWS	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AC2	AUX. REAR AIR CONDITIONING	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RL	REAR LINING, CARGO VAN	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
SEATING			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Available	N/A
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle’s cab and body whenever available at the OEM level.

Item # 31A			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
BODY/CHASSIS		ECONOLINE E250	G2300
MFG. MODEL CODE		E24	CG23405
PAYLOAD min. kg. (lbs.)	982 (2165)	2,437	2165
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3265 (7200) / 3537 (7800)	7,200	7300
WHEEL BASE min. cm.(in.)	343 (135) / 350 (138)	138	135
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	528 (208) / 556 (219)	211.9	218.8
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	6/4.3	8/4.6	6/4.3
HORSEPOWER (min)	200	225	200
TORQUE (ft.-lb.)	250	286	250
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS		left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual Vertical Cargo	Dual Vertical Cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
FLOOR MATS	Req	front only	n/a
INTERIOR			
PADDED INTERIOR HEADLINER	Min	comply	n/a
AIR CONDITIONING	Req	comply	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	Cloth	Cloth
SEATS			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 31A			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
SUSPENSION		ECONOLINE E250	G2300
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	15	16	16
TIRES	P225/R/AS	LT225/R/AS	LT225/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply


TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 31A - OPTIONAL EQUIPMENT

ENGINES		FORD ECONOLINE E250	GM G2300
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Std 8/4.6,225,286	Available 8/5.3,285,325
ENGINE OPTIONS			
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWD	OEM ALL WHEEL DRIVE	N/A	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
RB	RUNNING BOARDS	Available	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Available	Available
DRG	DELETE REAR WINDOW	Available	Available
LD	LEFT DOOR	N/A	Available
WD	SIDE CARGO DOOR WINDOWS	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AC2	AUX. REAR AIR CONDITIONING	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RL	REAR LINING, CARGO VAN	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
SEATING			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Available	N/A
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available





**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**








TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle's cab and body whenever available at the OEM level.

Item # 32			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
BODY/CHASSIS		ECONOLINE E250	G2300
MFG. MODEL CODE		E24	CG23405
PAYLOAD min. kg. (lbs.)	1517 (3345)	3,783	3345
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	3854 (8500) / 3990 (8800)	8,600	8600
WHEEL BASE min. cm.(in.)	343 (135) / 350 (138)	138	135
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8/4.8	8/5.4	8/4.8
HORSEPOWER (min)	255	255	270
TORQUE (ft.-lb.)	285	350	285
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS		left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual Vertical Cargo	Dual Vertical Cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
INTERIOR			
PADDED INTERIOR HEADLINER	Min	comply	n/a
AIR CONDITIONING	Req	comply	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	cloth	Cloth
SEATS			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 32			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
TIRES AND WHEELS		ECONOLINE E250	G2300
WHEEL DIAMETER	16	16	16
TIRES	LT225/R/AS	LT225/R/AS	LT225/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 32 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD ECONOLINE E250	GM G2300
XL	EXTRA LONG BODY	Available	Available
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Available 8/6.0,300,360
ALTERNATIVE FUEL ENGINES			
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Available
ENGINE OPTIONS			
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWDC	CHASSIS MFG APPROVED 4X4 CONVERSION (NON-OEM DEALERS ONLY)	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
RB	RUNNING BOARDS	Available	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Available	Available
DRG	DELETE REAR WINDOW	Available	Available
LD	LEFT DOOR	N/A	Available
WD	SIDE CARGO DOOR WINDOWS	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AC2	AUX. REAR AIR CONDITIONING	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RL	REAR LINING, CARGO VAN	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
SEATING			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Available	N/A
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

TABLE 7 - CONTINUED

4X2 CARGO VAN, FULL SIZE, MIN 8,500 LBS GVWR, DIESEL ONLY

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with a sliding cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle’s cab and body whenever available at the OEM level.

Item # 32A		
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
BODY/CHASSIS		SPRINTER
MFG. MODEL CODE		C-2500 SHC
PAYLOAD min. kg. (lbs.)	1805 (3979)	1805(3979)
GROSS VEHICLE WEIGHT RATING		
min./max. kg (lbs.)	3854 (8500) / 3990 (8800)	3878(8550)
WHEEL BASE min. cm.(in.)	315 (125) / 355 (140)	355(140)
ENGINE MINIMUMS		
ENGINE TYPE (Cylinder/Liter)	5/2.7	5/2.7
HORSEPOWER (min)	154	154
TORQUE (ft.-lb.)	243	243
COOLING SYSTEM	HDA	COMPLY
ENGINES		
DIESEL ENGINE	Req	COMPLY
ENGINE BLOCK HEATER	Req	COMPLY
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 speed	5 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
ELECTRICAL		
ALTERNATOR min. (Amps)	115	115
BATTERY min. (CCA)	875	875
FUEL		
FUEL CAPACITY min. Liters (gals.)	100 (26)	100(26)
EXTERIOR		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
DOORS AND WINDOWS		
SIDE DOORS, SLIDING TYPE, VAN	Req	COMPLY
KEYED DOOR LOCKS		left and right
WINDOWS	Req. in rear doors	COMPLY
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	COMPLY
REAR DOOR TYPE	Dual vertical cargo	COMPLY
FLOOR		
FLOOR COVERING	Vinyl	comply
INTERIOR		
AIR CONDITIONING	Req	COMPLY
RADIO	AM/FM w/Clock	COMPLY
POWER STEERING	Req	COMPLY
UPHOLSTERY	Cloth	COMPLY
SEATS		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	BUCKET
SAFETY		
POWER ANTILOCK BRAKES,		
FRONT AND REAR	Req	COMPLY
RESTRAINT SYSTEM,		
DRIVER AND PASSENGER	Req	COMPLY
SUPPLEMENTAL RESTRAINT SYSTEM,		
DRIVER & FRONT PASSENGER	Req	COMPLY

TABLE 7 - CONTINUED

4X2 CARGO VAN, FULL SIZE, MIN 8,500 LBS  
GVWR, DIESEL ONLY

Item # 32A		
GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
SUSPENSION		SPRINTER
SUSPENSION/SHOCKS	HDA	COMPLY
TIRES AND WHEELS		
WHEEL DIAMETER	16	16
TIRES	LT225/R/AS	LT195/R/AS
TOWING		
REAR BUMPER	Step type w/ RH1 provisions	COMPLY
WARRANTY		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	COMPLY


TABLE 7 - CONTINUED

4X2 CARGO VAN, FULL SIZE, MIN 8,500 LBS GVWR, DIESEL ONLY

Item # 32A - OPTIONAL EQUIPMENT

BODY/CHASSIS		DAIMLERCHRYSLER SPRINTER
XL	EXTRA LONG BODY	Available
DRIVE AXLE		
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
RB	RUNNING BOARDS	Available
DOORS AND WINDOWS		
DRG	DELETE REAR WINDOW	Available
LD	LEFT DOOR	Available
WD	SIDE CARGO DOOR WINDOWS	Available
WY	WINDOWS, ALL SIDES	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
LIGHTS AND LIGHTING		
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AC2	AUX. REAR AIR CONDITIONING	Available
AH	AUXILIARY REAR HEATER	Available
CR	CRUISE CONTROL	Available
SK	METRIC ODOMETER	Available
RL	REAR LINING, CARGO VAN	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available
RADIO		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
RECEIVER HITCH		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available





**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**








TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle’s cab and body whenever available at OEM level.

Item # 34			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
BODY/CHASSIS		ECONOLINE E350	CG3300
MFG. MODEL CODE		S34	CG33705
PAYLOAD min. kg. (lbs.)	1724 (3800)	4,045	3800
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	4172 (9200) / 4489 (9900)	9,400	9600
WHEEL BASE min. cm.(in.)	351 (138) / 390 (155)	138	155
BODY SIZE, OVERALL LENGTH			
min./max. cm.(in.)	586 (231) min	231.9	238.8
ENGINE MINIMUMS			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	255	255	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	Rear	Rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
EXTERIOR			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
DOORS AND WINDOWS			
KEYED DOOR LOCKS		left and right	left and right
WINDOWS	Req in rear doors	comply	comply
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
FLOOR			
FLOOR COVERING	Vinyl	comply	comply
INTERIOR			
AIR CONDITIONING	Req	comply	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	cloth	Cloth
SEATS			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
SAFETY			
POWER ANTILOCK BRAKES,			
FRONT AND REAR	Req	comply	comply
RESTRAINT SYSTEM,			
DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM,			
DRIVER & FRONT PASSENGER	Req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply

TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 34			
GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
TIRES AND WHEELS		ECONOLINE E350	CG3300
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
TOWING			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
WARRANTY			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply




TABLE 7 - CONTINUED

CARGO VAN, FULL SIZE, 4 X 2

Item # 34 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD ECONOLINE E350	GM CG3300
STDL	REG. BODY LGTH (OVERALL LGTH, MIN.5	Available	Available
ENGINES			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Std
	Eng-Cyl/HP/Torque	10/6.8,305,420	8/8.0,300,360
YD	DIESEL ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	8/6.0,325,560	
ALTERNATIVE FUEL ENGINES			
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Available
ENGINE OPTIONS			
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWDC	CHASSIS MFG APPROVED 4X4 CONVERSION (NON-OEM DEALERS ONLY)	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
RB	RUNNING BOARDS	Available	N/A
PAINT			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DOORS AND WINDOWS			
DTG	DARK TINTED GLASS	Available	Available
DRG	DELETE REAR WINDOW	Available	Available
LD	LEFT DOOR	N/A	Available
WD	SIDE CARGO DOOR WINDOWS	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
WY	WINDOWS, ALL SIDES	N/A	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
LIGHTS AND LIGHTING			
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AC2	AUX. REAR AIR CONDITIONING	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RL	REAR LINING, CARGO VAN	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
RADIO			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
SEATING			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Available	N/A
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

